


INDEX SEMINUM

2009



**XISHUANGBANNA TROPICAL BOTANICAL GARDEN,
CHINESE ACADEMY OF SCIENCES**

Geographical Data

Latitude 21° 41' North

Longitude 101° 25' East

Altitude 570 Meters

Meteorological Data

Annual Average Temperature 21.7°C

Annual Average Precipitation 1500mm

Annual Average Humidity 83%

Agreement on the Supply of Plant Material

Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences (XTBG) is committed to the letter and spirit of Convention on Biological Diversity (*CBD*). This agreement is designed to promote scientific research and exchange, especially that relating to the conservation, sustainable utilization and research of biological diversity. With regard to the acquisition, maintenance and supply of plant material, *XTBG* therefore expects its partners to act in a manner that is consistent with the letter and the spirit of the *CBD*, and in compliance with all conventions and laws relating to the protection of biological diversity. *XTBG* reserves the right not to supply any plant material if it would be contrary to any terms attached to the *CBD*.

XTBG will offer only those persons and institutions who accept the following terms and conditions the plant material ("Material") from garden's collection:

1. Based on this agreement, the Material is supplied only for the common good, such as scientific research, education, conservation, environment protection and the development of botanic gardens.
2. The recipient shall not sell, distribute or use for commercial application the Material received, its progeny, or derivatives.
3. Should the recipient at a later date intend a commercial use or a transfer for commercial use, the country of origin's *Prior Informed Consent (PIC)* must be obtained in writing before the Material, its progeny or derivatives is used or transferred. The recipient is responsible for ensuring an equitable sharing of benefits.
4. On receiving the plant material, the recipient is obliged to document its origin (country of origin, first receiving garden, donor of the plant material, year of collection) as well as the acquisition and transfer conditions in a comprehensible manner.
5. The recipient shall acknowledge *XTBG* as supplier in any scientific publications resulting from their use of the Material, its progeny or derivatives. In addition, these publications are expected to be sent to *XTBG* without request.
6. On request, the garden should forward relevant information of the transfer of the Material, its progeny or derivatives to authority instructed with the implementation of the *CBD*.
7. The recipient may transfer the received Material, its progeny or derivatives to third parties only under these terms and conditions, and must document the transfer in a suitable manner. The recipient shall notify *XTBG* of all such transfers and, on request, shall provide *XTBG* with copies of the relevant material transfer agreement.

For the purposes of this agreement, Plant material shall include plants, plant parts or propagation material (such as seeds, cuttings, roots, bulbs, corms, or leaves), and any other material of plant and the genetic resources contained therein. Genetic resources are any plant material of actual or potential value containing functional units of heredity, including DNA. This definition of genetic resources is adapted from the definitions of genetic materials

and genetic resources in Article 2 of *CBD*.

Commercialization shall include, but not be limited to, the following activities: sale, filing a patent application, obtaining or transferring intellectual property rights or other tangible or intangible rights by sale or license or in any other manner, commencement of product development, conducting market research, and seeking pre-market approval.

I agree to comply with the conditions above.

Signed:

Date:

Name and Position:

Organisation and Department:

Address:

E-mail:

Tel:

Please return a signed copy to: *Xishuangbanna Tropical Botanical Garden, Chinese Academy of Sciences, Menglun, Mengla, Yunnan 666303. China*

Acanthaceae

1. *Phlogacanthus curviflorus* (Wall.) Nees.
2. *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb.

Aceraceae

3. *Acer Prolificum* Fang.

Agavaceae

4. *Agave americana* Linn.
5. *Cordyline terminalis* ' Dolly '.
6. *Dracaena angustifolia* Roxb.
7. *Dracaena cambodiana* Pierre ex Gagnep.
8. *Dracaena fragrans* (L.) Ker Gawl.
9. *Dracaena gracilis* Wall. ex Baker
10. *Dracaena loureiri* Gagnep.
11. *Dracaena sanderiana* Sander.
12. *Dracaena Sanderiana* 'Golden Edge'

Alangiaceae

13. *Alangium barbatum* (R. Br.) Baill.
14. *Alangium chinense* (Lour.) Harms
15. *Alangium faberi* Oliv.
16. *Alangium kurzii* Craib

Amaryllidaceae

17. *Zephyranthes grandiflora* Lindl.

Anacardiaceae

18. *Choerospondias axillaris* (Roxb.) Burtt. et Hill
19. *Dracontomelon duperreanum* Pierre
20. *Dracontomelon macrocarpum* H. L. Li
21. *Mangifera indica* L.
22. *Mangifera sylvatica* Roxb.
23. *Pegia nitida* Colebr.
24. *Pistacia weinmannifolia* Poiss ex Franch.
25. *Rhus chinensis* Mill. var. *roxburghiana* (DC.) Rehd.
26. *Semecarpus microcarpus* Wall. ex Hook. f.
27. *Semecarpus reticulata* Lecte.
28. *Spondias lokouensis* Pierre var. *hirsutus* C. Y. Wu et T. L. Ming
29. *Spondias pinnata* (LF) Kurz.
30. *Spondias purpurea* L.
31. *Toxicodendron acuminatum* (Hook. f.) C. Y. Wu et T. L.
32. *Toxicodendron fulvum* (Craib) CY Wu et TL Ming

Annonaceae

33. *Alphonsea mollis* Dunn
34. *Alphonsea monogyna* Merr. et Chun
35. *Aiphonsea tangyuanensis* P. T. Li
36. *Annona muricata* Linn.
37. *Annona reticulate* L.
38. *Annona squamosa* L.
39. *Artabotrys fragrans* Ast
40. *Artabotrys hexapetalus* (Linn. f.) Bhand.
41. *Cananga odorata* (Lamk.)Hook. f. et Thoms.

42. *Desmos dumosus* (Roxb.) Saff.
43. *Goniothalamus cheliensis* Hu
44. *Goniothalamus chinensis* Merr. & Chun
45. *Fissistigma acuminatissimum* Merr.
46. *Mitrephora thorelii* Pierre
47. *Phaeanthus saccopetaloides* W. T. Wang
48. *Polyalthia cheliensis* Hu

Apocynaceae

49. *Aganosma acuminata* (Roxb.) G. Don
50. *Alstonia scholaris* (Linn.) R. Br.
51. *Allamanda neriifolia* Hook.
52. *Beaumontia grandiflora* Wall.
53. *Bousigonia angustifolia* Pierre
54. *Carissa spinarum* L.
55. *Cerbera manghas* Linn.
56. *Ervatamia chinensis* Merr.
57. *Ervatamia mucronata* (Merrill) Markgraf
58. *Holarrhena antidysenterica* Wall. et A. DC.
59. *Kopsia officinalis* Tsiang et P. T. Li
60. *Melodinus henryi* Craib
61. *Ochrosia elliptica* Labill
62. *Paravallaris macrophylla* Pierre ex Hua
63. *Rauvolfia serpentina* (Linn.) Benth. ex Kurz
64. *Rauvolfia tetraphylla* Linn.
65. *Rauvolfia verticillata* (Lour.) Baill.
66. *Rauvolfia vomitoria* Afzel. ex Spreng
67. *Rauvolfia yunnanensis* Tsiang
68. *Strophanthus wallichii* A. DC.
69. *Tabernanthe iboga* Baill
70. *Tabernanthe subsessilis* Stapf
71. *Voacanga africana* Stapf
72. *Wrightia laevis* Hook. f.
73. *Wrightia pubescens* R. Br.

Aquifoliaceae

74. *Ilex godajam* (Colebr. ex Wall.) Wall. ex Hook. f.
75. *Ilex sinica* (Loes.) S. Y. Hu

Araceae

76. *Alocasis macrorrhiza* (Linn.) Schott
77. *Amorphophallus virosus* N. E. Brown.
78. *Amorphophallus yunnanensis* Engl.
79. *Pothos scandens* Linn.
80. *Rhaphidophora decursiva* (Roxburgh) Schott

Araliaceae

81. *Aralia armata* (Wall.) Seem.
82. *Aralia decaisneana* Hance
83. *Aralia thomsonii* Seem.
84. *Brassaiopsis glomerulata* (Bl.) Ragel
85. *Macropanax dispermus* (Bl.) O. Ktze.
86. *Schefflera chinensis* (Dunn) H. L. L
87. *Schefflera octophylla* (Lour.) Harms
88. *Trevesia palmata* (Roxb.) Vis.
89. *Tupidanthus calyptratus* Hook. & Thomson

Aristolochiaceae

90. *Aristolochia tagala* Cham.

Asclepiadaceae

91. *Asclepias curassavica* Linn.
 92. *Dregea volubilis* (Linn. f.) Benth. ex Hook. f.
 93. *Marsdenia tenacissima* (Roxb.) Moon
 94. *Myriopterion extensum* (Wight & Arn.) K. Schum.

Betulaceae

95. *Alnus nepalensis* D. Don
 96. *Betula alnoides* Buch. -Ham. ex. D. Don

Bignoniaceae

97. *Dolichandrone stipulate* (Wall.) Benth. & Hook. f.
 98. *Kigelia pinnata* DC.
 99. *Nyctocalos runfelsiiflora* Teysm. et Binn.
 100. *Oroxylum indicum* (L.) Kurz
 101. *Radermachera microcalyx* C. Y. Wu et W. C. Yin
 102. *Stereospermum colais* (Buch. -Ham. ex Dillwyn) Mabberley

Bombacaceae

103. *Bombax ceiba* L.
 104. *Pachira macrocarpa* (Cham. et Schlecht.) Walp.

Boraginaceae

105. *Cordia dichotoma* Forst. f.
 106. *Cordia furcata* Johnst
 107. *Ehretia acuminata* R. Br. var. *obvata* (Liudl.) Johnst
 108. *Tournefortia montana* Lour.
 109. *Trichodesma calycosum* Collett & Hemsl.

Burseraceae

110. *Canarium album* (Lour.) Rauesch.
 111. *Canarium bengalensis* Roxb.
 112. *Canarium pimela* Leenh.
 113. *Canarium strictum* Roxb.
 114. *Garuga pinnatae* Roxb.

Buxaceae

115. *Buxus austro-yunnanensis* Hatus.

Caesalpiniaceae

116. *Bauhinia acuminata* Linn.
 117. *Bauhinia blakeana* Dunn
 118. *Bauhinia monandra* kurz
 119. *Bauhinia variegata* Linn var. *candida* (Roxb.) Voigt.
 120. *Bauhinia touranensis* Gagnep.
 121. *Caesalpinia mimosoides* Lam.
 122. *Cassia fistula* Linn.
 123. *Cassia hirsuta* Linn.
 124. *Caesalpinia minax* Hance
 125. *Cassia agnes* (De Wit.) Brenan

- 126. *Cassia alata* Linn.
- 127. *Cassia laevigata* Willd.
- 128. *Cassia nodosa* Buch. -Ham. ex Roxb.
- 129. *Cassia siamea* Linn.
- 130. *Cassia didymobotrya* Fresen.
- 131. *Cassia renigera* Wall.
- 132. *Delonix regia* (Bojer) Raf.
- 133. *Erythrophleum fordii* Oliv.
- 134. *Erythrophleum guineense* G. Don
- 135. *Lycidice rhodoslegia* Hance
- 136. *Saraca dives* Pierre
- 137. *Sindora siamensis* Teysm.
- 138. *Tamarindus indica* Linn.

Capparidaceae

- 139. *Capparis masaikai* Levl.
- 140. *Capparis viburnifolia* Gagnep.
- 141. *Crataeva unilocularis* Buch. -Ham.

Caprifoliaceae

- 142. *Viburnum cylindricum* Buch. -Ham. ex D. Don
- 143. *Viburnum foetidum* Wall. var. *ceanothoides* (Wright) Hand. -Mazz.
- 144. *Viburnum odoratissimum* Ker
- 145. *Viburnum sempervirens*. K. Koch.

Cardiopteridaceae

- 146. *Peripterygium platycarpum* (Gagnep.) Sleum

Carlemanniaceae

- 147. *Silvianthus bracteatus* Hook. f.

Celastraceae

- 148. *Celastrus paniculatus* Willd.
- 149. *Celastrus monospermus* Roxb.
- 150. *Celastrus rosthonarinus* Loes.
- 151. *Microtropis discolor* (Wall.) Wall.

Chloranthacea

- 152. *Sarcandra hainanensis* (Pei) Swamy et Bailey

Combretaceae

- 153. *Combretum latifolium* Blume
- 154. *Terminalia bellirca* (Gaertn.) Roxb.
- 155. *Terminalia chebula* Retz.
- 156. *Terminalia muelleri* Benth.
- 157. *Terminalia superba* Engl. et Diels
- 158. *Terminolia myriocarpa* Heurck et Muell. -Arg.

Commelinaceae

- 159. *Pollia thyrsoflora* (Blume) Endl. ex Hassk.

Compositae

- 160. *Blumea lanceolaria* (Roxb.) Druce

161. *Vernonia solanifolia* Benth.

Connaraceae

162. *Connarus paniculatus* Roxb.
163. *Rourea caudata* Planch.

Convolvulaceae

164. *Porana racemosa* Roxb. var. *tomentella* C. Y. Wu

Cucurbitaceae

165. *Cucumis hytrix* Chakr.
166. *Gynostemma burmanicum* King ex Chakr. var. *molle* C. Y. Wu
167. *Gymnopetalum chinensis* (Lour.) Merr.
168. *Hodgsonia macrocarpa* (Bl.) Cogn. var. *capniocarpa* (Rild) Tsai ex A. M. Lu et Z. Y. Zhang
169. *Momordica cochinchinensis* (Lour.) Spreng
170. *Momordica subangulata* Bl.
171. *Trichosanthes bracteata* (Lam.) Voigt
172. *Trichosanthes cucumerina* Linn.
173. *Trichosanthes lepiniana* (Naud.) Cogn.
174. *Trichosanthes ovigera* Bl.
175. *Trichosanthes villosa* Bl.
176. *Zehneria javanica* (Thunb.) S. K. Chen
177. *Zehneria maysorensis* (Wight et Arn.) Arn.

Dilleniaceae

178. *Dillenia indica* Linn.
179. *Dillenia pentagyna* Roxb.
180. *Dillenia turbinata* Finet et Gagnep.

Dipterocarpaceae

181. *Dipterocarpus retusus* Bl.
182. *Dipterocarpus tubinatus* Gaertn. f.
183. *Shorea chinensis* Wang Hsie
184. *Vatica mangachapoi* Blanco

Ebenaceae

185. *Diospyros argentea* Griff.
186. *Diospyros kaki* Linn. f. var. *sylvestris* Mak.
187. *Diospyros nigrocartex* C. Y. Wu. ex Wu et Li
188. *Diospyros xishuangbannaensis* C. Y. Wu et H. Chu
189. *Diospyros yunnanensis* Rehd. et Wils.

Elaeagnaceae

190. *Elaeagnus conferta* Roxb.

Elaeocarpaceae

191. *Elaeocarpus austro-yunnanensis* Hu
192. *Elaeocarpus petiolatus* (Jack) Wall. ex Kurz
193. *Elaeocarpus serratus* Linn.
194. *Elaeocarpus varunua* Buch. -Ham. ex Mast.
195. *Elaeocarpus dicipiens* Hemsl.
196. *Elaeocarpus hainanensis* Merr. et Chun
197. *Elaeocarpus rugosus* Roxb.

198. *Elaeocarpus sikkimensis* Mast.
 199. *Muntingia calabura* Linn.
 200. *Sloanea dasycarpa* (Benth.) Hemsl.

Euphorbiaceae

201. *Aleurites moluccana* (Linn.) Muell. - Arg.
 202. *Antidesma acidum* Retz.
 203. *Aporusa villosa* (Lindl.) Baill.
 204. *Aporusa yunnanensis* (Pax et Hoffm.) Metc.
 205. *Baccaurea ramiflora* Lour.
 206. *Bischofia javanica* Bl.
 207. *Breynia rostrata* Merr.
 208. *Breynia vitis-idaea* (Burm. f.) Fischer
 209. *Bridenia pubescens* Kurz
 210. *Bridenia tomentosa* Bl.
 211. *Claoxylon longifolium* (Bl.) Endl. et Hassk.
 212. *Cleidion spiciflorum* (Burn. f.) Merr.
 213. *Cleistanthus sumatranus* (Miq.) Muell. -Arg.
 214. *Croton kongensis* Gagnep.
 215. *Drypetes indica* (Muell. -Arg.) Pax et Hoffm.
 216. *Glochidion assamicum* (Muell. -Arg.) Hook. f.
 217. *Glochidion puberum* (Linn.) Hutch.
 218. *Jatropha curcas* Linn.
 219. *Macaranga denticulata* (Bl.) Muell. -Arg.
 220. *Macaranga kurzii* (O. Ktze.) Pax et Hoffm.
 221. *Mallotus macrostachys* (Miq.) Muell. - Arg.
 222. *Mallotus barbatus* (wall.) Muell. - Arg.
 223. *Mallotus phillippinensis* (Lam.) Muell. -Arg.
 224. *Ostodes katharinae* Pax
 225. *Phyllanthus emblica* Linn.
 226. *Sapium baccatum* Roxb.
 227. *Sauropos macranthus* Hassk.
 228. *Sumbaviopsis albicans* (Bl.) J. J. Sm.
 229. *Suregada glomerulata* (Bl.) Baill.
 230. *Trewia nudiflora* Linn.
 231. *Vernicia fordii* (Hemsl.) Airy-Shaw

Fagaceae

232. *Castanopsis ferox* (Roxb.) Spach.
 233. *Castanopsis hystrix* Miq.
 234. *Castanopsis mekongensis* A. Camus
 235. *Castanopsis calathiformis* (Skan) Rehd. et Wils.
 236. *Castanopsis echinocarpa* A. DC.
 237. *Cyclobalanopsis austrocochinchinensis* (Hich. et A. Camus) Hjelmq.
 238. *Cyclobalanopsis rex* (Hemsl.) Schott
 239. *Lithocarpus fohainensis* A. Camus

Flacourtiaceae

240. *Flacourtia ramontchii* L. Herit.
 241. *Flacourtia rukam* Zoll. et Mor.
 242. *Hydnocarpus alpina* Wight (Merr.) Sleum

Gnetaceae

243. *Gnetum montanum* Markgr.
 244. *Gnetum parvifolium* (Warb.) C. Y. Cheng
 245. *Gnetum pendulum* C. Y. Cheng

Guttiferae

- 246. *Garcinia cowa* Roxb.
- 247. *Garcinia multiflora* Champ.
- 248. *Garcinia xanthochymus* Hook. f.
- 249. *Garcinia xipshuanbannaensis* Y. H. Li
- 250. *Garcinia bracteata* C. Y. Wu ex Y. H. Li
- 251. *Ochrocarpus yunnanensis* H. L. Li

Hamamelidaceae

- 252. *Dictyloopsis yunnanensis* (H . T. Chang) C. Y. Wu
- 253. *Distylium racemosum* Siebold & Zucc.

Hippocastanaceae

- 254. *Aesculus lantsangensis* Hu et Fang

Hippocrateaceae

- 255. *Salacia polysperma* Hu

Hydrangiaceae

- 256. *Dichroa febrifuga* Lour.

Hypericaceae

- 257. *Cratoxylum cochinchinense* (Lour.) Blume
- 258. *Cratoxylum formosum* (Jack) Dyer

Hypoxidaceae

- 259. *Curculigo capitulate* (Lour.) Kuntze
- 260. *Curculigo orchioides* Gaertn.

Icacinaceae

- 261. *Apodytes dimidiata* E. Meyer
- 262. *Gomphandra tetrandra* (Wall ex Roxb.) Sleum. .
- 263. *Iodes cirrhosa* Turcz.
- 264. *Nothapodytes collina* C. Y. Wu
- 265. *Platea latifolia* Bl.

Illiciaceae

- 266. *Illicium micranthum* Dunn

Juglandaceae

- 267. *Engelhardtia spicata* Bl.
- 268. *Pterocarya tonkinensis* (Fr.) Dode

Labiatae

- 269. *Elsholtzia flava* (Benth.) Benth.
- 270. *Ocimum basilicum* Linn.

Lauraceae

- 271. *Litsea dilleniifolia* P. Y. Bai et P. H. Huang
- 272. *Actinodaphne henryi* Gamble
- 273. *Actinodaphne obovata* Bl.
- 274. *Cinnamomum bejolghota* (Bueh. - Ham.) Sweet

275. *Cinnamomum burmanni* (C. G. et Th. Nees) Bl. f. *heyneanum* (Nees) H. W. Li
 276. *Cinnamomum glanduliferum* (Wall.) Nees
 277. *Cryptocarya calcicola* H. W. Li
 278. *Cryptocarya yunnanensis* H. W. Li
 279. *Litsea elongata* (Wall. et Nees) Benth. et Hook. f.
 280. *Litsea euosma* W. W. Sm.
 281. *Litsea glutinosa* (Lour.) C. B. Roxb.
 282. *Litsea pierrei* Lecte. var. *szemaonis* Liou
 283. *Machilus salicina* Hance
 284. *Machilus robusta* W. W. Sm.
 285. *Neocinnamomum caudatum* (Nees) Merr.
 286. *Phoebe lanceolata* (Wall. ex Nees) Nees
 287. *Phoebe nanmu* (Oliv.) Gamble
 288. *Phoebe rufescens* H. W. Li

Lecythidaceae

289. *Barringtonia macrostachya* (Jack) Kurz
 290. *Barringtonia pendula* (Griff.) Kurz

Liliaceae

291. *Dianella ensifolia* (L.) Redoute
 292. *Polygonatum cirrhifolium* (Wall.) Royle

Loganiaceae

293. *Gelsemium elegans* (Gardn. et Champ.) Benth.
 294. *Strychnos nux-vomica* Linn.
 295. *Strychnos wallichiana* Steud. ex DC.

Magnoliaceae

296. *Magnolia henryi* Dunn
 297. *Manglietia microgyne* Liou
 298. *Michelia champaca* Linn.
 299. *Paramichelia baillonii* (Pierre) Hu

Malpighiaceae

300. *Hiptage benghalensis* (L.) Kurz
 301. *Malpighia glauca* Cav.

Malvaceae

302. *Abelmoschus manihot* (Linn.) Medic.
 303. *Abelmoschus moschatus* Medic.
 304. *Abutilon indicum* (Linn.) Sweet
 305. *Althaea rosea* (Linn.) Cav.
 306. *Kydia calycina* Roxb.

Meliaceae

307. *Aglaia parviridia* Hiarn.
 308. *Amoora dasyclada* (How et Chun) C. Y. Wu
 309. *Amoora tetrapetala* (Pierre) C. Y. Wu var. *macrophylla* (H. L. Li) C. Y. Wu.
 310. *Aphanamixis polystachya*. (Wall.) J. N. Parker
 311. *Carapa guineensis* Aubl.
 312. *Chisocheton siamensis* Craib
 313. *Cipadessa baccifera* Miq.
 314. *Dysoxylum excelsum* Bl.

315. *Khaya senegalensis* A. Juss.
 316. *Melia azedarach* Linn.
 317. *Melia toosanden* Sied. et Zuce.
 318. *Toona ciliate* Roem.
 319. *Trichilia connaroides* (Wight et Arn.) Bentv
 320. *Walsura robusta* Roxb.
 321. *Walsura yunnanensis* C. Y. Wu

Melanthaceae

322. *Bersama hebacalyx* Touss.

Menispermaceae

323. *Cyclea racemosa* Oliv.
 324. *Diploclisia glaucescens* (Bl.) Diels
 325. *Fleutharrhena macrocarpa* (Diels) Forman
 326. *Parabaena sagitata* (Wall.) Miers. ex Hook. f. et Thoms.
 327. *Pericampylus glauca* (Lam.) Merr.
 328. *Tinomiscium tonkinensis* Gagnep.

Mimosaceae

329. *Acacia auriculaeformis* A. Cunn
 330. *Acacia mangium* Willd.
 331. *Acacia pennata* (Linn.) Willd.
 332. *Acacia confusa* Merr.
 333. *Acrocarpus fraxinifolius* Arn. et Wight
 334. *Adenanthera pavonina* Linn.
 335. *Adenanthera spicata* R. Br.
 336. *Albizia chevalieri* Harms
 337. *Albizia lucidior* (stend.) I. Nielsen
 338. *Albizia procera* (Willd.) Benth.
 339. *Calliandra surinamensis* Broiz.
 340. *Cylindrokelupha glabrifolia* T. L. Wu
 341. *Cylindrokelupha yunnanensis* T. L. Wu
 342. *Entada phaceoloides* (Linn.) Merr.
 343. *Enterolobium cyclocarpum* (Jacq.) Griseb.
 344. *Pithecellobium lucidium* Benth.

Moraceae

345. *Antiaris toxicaria* (Pess.) Lesch.
 346. *Artocarpus heterophylla* Lam.
 347. *Artocarpus lacucha* Back. -Ham. ex D. Don
 348. *Cudrania cochinchinensis* (Lour.) Nakai
 349. *Ficus auriculata* Lour.
 350. *Ficus hispida* Linn. f.
 351. *Ficus racemosa* Linn.
 352. *Ficus altissima* Bl.
 353. *Ficus cyrtophylla* (Wall. ex Miq.) Miq.
 354. *Ficus microcarpa* Linn. f.
 355. *Ficus pubigera* (Wall. ex Miq.) Miq. var. *maniformis* (King) Corner
 356. *Ficus religiosa* Linn.
 357. *Streblus asper* Lour.

Mussaceae

358. *Ensete glaucum* (Roxb.) Cheesman
 359. *Musa acuminata* Colla

Myristicaceae

- 360. *Horsfieldia amygdalina* (Wall.) Warb.
- 361. *Horsfieldia kingii* (Hook. f.) Warb.
- 362. *Horsfieldia pandurifolia* Hu
- 363. *Horsfieldia tetratepala* C. Y. Wu et W. T. Wang
- 364. *Knema erratica* (Hook. f. et Thoms.) J. Sincl.
- 365. *Myristica yunnanensis* Y. H. Li

Myrsinaceae

- 366. *Ardisia crenata* Sims Coal Ardisia Hilo Holly
- 367. *Ardisia tenera* Mez
- 368. *Ardisia solanacea* Roxb.
- 369. *Ardisia virens* Kurz
- 370. *Embelia oblongifolia* Hemsl.
- 371. *Embelia ribes* Burm. f.
- 372. *Embelia sessiliflora* Kurz
- 373. *Embelia subcoriacea* (C. B. Clarke) Mez
- 374. *Measa ramentacea* (Roxb.) Walker

Myrtaceae

- 375. *Decaspermum fruticosum* J. R. et G. Forst
- 376. *Engenia uniflora* Linn.
- 377. *Syzygium austro-yunnanensis* Chang et Miao
- 378. *Syzygium cumini* (Linn.) Skeels
- 379. *Syzygium laosense* (Gagnep.) Merr. et Perry var. *quocens* (Gagnep.)
Chang et Miao
- 380. *Syzygium latilimbus* Merr. et Perry
- 381. *Syzygium oblatum* (Roxb.) Cowan
- 382. *Syzygium szemaoense* Merr. et Perry
- 383. *Syzygium samarangense* (Bl.) Merr. et Perry

Nyssaceae

- 384. *Camptotheca acuminata* Decne
- 385. *Nyssa yunnanensis* W. C. Yin

Olacaceae

- 386. *Erythralium scandens* Bl.
- 387. *Schoepfia fragrans* Wall.

Oleaceae

- 388. *Fraxinus floribundus* Wall.
- 389. *Fraxinus chinensis* Roxb.
- 390. *Jasminum lanceolarium* Roxb.
- 391. *Ligustrum lucidum* Ait.
- 392. *Olea rosea* Craib

Onagraceae

- 393. *Circaea erubescens* Frabch. et Savat.

Oxalidaceae

- 394. *Averrhoa carambola* Linn.

Palmae

- 395. *Arenga engleri* Becc.

396. *Archontophoenix alexandrae* (F. Muell.) Wendl. et Drude
 397. *Areca catechu* Linn.
 398. *Areca triandra* Roxb. ex Buch,-Ham.
 399. *Borassus flabellifera* Linn.
 400. *Calamus gracilis* Roxb.
 401. *Calamus nambariensis* Becc. var. *alpinus* S. J. Pei et S. Y. Chen
 402. *Calamus nambariensis* Becc. var. *xishuangbannaensis* S. J. Pei et S. Y. Chen
 403. *Caryota ochlandra* Hance
 404. *Caryota urens* Linn.
 405. *Calamus yunnanensis* S. J. Pei et S. Y. Chen
 406. *Chamaedorea erumpens* H. E. Moore
 407. *Chamaedorea oblongata* Mart.
 408. *Chamaedorea seifritzii* Burret
 409. *Cocos nucifera* Linn.
 410. *Elaeis guineensis* Jacq.
 411. *Ptychosperma schefferi* Becc.
 412. *Raphia vinifera* Beauv.
 413. *Syagrus romanzoffiana* (Cham.) Glassm.
 414. *Salacca zalacca* (Gaertn.) Voss ex Vilm.
 415. *Wallichia mooreana* Basu

Pandanaceae

416. *Pandanus furcatus* Roxb.
 417. *Pandanus tectorius* Sol. ex Parkins.

Papilionaceae

418. *Atylosia barbata* (Wall.) Baker
 419. *Crotalaria bracteata* Roxb.
 420. *Crotalaria pallida* Ait.
 421. *Dalbergia fusca* Pierre var. *enneandra* Zou et Liu
 422. *Dalbergia pinnata* (Lour.) Prian
 423. *Dendrolobium triangulare* (Retz.) Schindl.
 424. *Derria robusta* Benth.
 425. *Dollinera elegans* (DC) C. Chen et X. J. Cui
 426. *Erythrina indica* Lam.
 427. *Erythrina lithosperma* Bl. ex Miq.
 428. *Flemingia fluminalis* C. B. Clarke
 429. *Flemingia macrophylla* (willd.) Merr.
 430. *Indigofera suffruticosa* Mill.
 431. *Millettia Pachycarpa* Benth.
 432. *Millettia dielsiana* Harms
 433. *Millettia leptobotrya* Dunn
 434. *Millettia pachyloba* Drake
 435. *Millettia pulchra* Kurz
 436. *Millettia versicobor* Welw.
 437. *Mucuna interrupta* Gagnep.
 438. *Mucuna macrocarpa* Wall.
 439. *Mucuna pruriens* Linn.
 440. *rmosia fordiana* Oliv.
 441. *Pterocarpus echinatus* Pers.
 442. *Pueraria stricta* Kurz
 443. *Sesbania cannabina* (Retz.)pers

Passifloraceae

444. *Adenia parviflora*(Blanco)Cussct

445. *Passiflora caerulea* L.
 446. *Passiflora edulis* Sims
 447. *Passiflora quadrangularis* Linn.
 448. *Passiflora siamica* Craib

Phytolaccaceae

449. *Phytolacca acinosa* Roxb.

Pittosporaceae

450. *Pittosporum brevicalyx* (Oliv.) Gagnep.
 451. *Pittosporum formosanum* Hayata var. *hainanensis* Gagnep.
 452. *Pittosporum kerrii* Craib.

Proteaceae

453. *Helicia nilagirica* Bedd.
 454. *Heliciopsis terminalis* (Kurz) Sleum.

Rhamnaceae

455. *Berchemia hirttera* Tsai et Feng
 456. *Colubrina arborescens* (Mill.) Sarg.
 457. *Paliurus ramosissimus* (Lour.) Poir.
 458. *Ventilago calyculata* Tul.
 459. *Zizyphus attopensis* Pierre

Rhizophoraceae

460. *Carallia brachiata* (Lour.) Merr.
 461. *Carallia lanceaefolia* Roxb.

Rosaceae

462. *Laurocerasus zippeliana* (Miq.) YU et Lu
 463. *Laurocerasus menghaiensis* Yu et Lu
 464. *Photinia glabra* (Thunb.) Maxim.
 465. *Prunus majestica* koehne
 466. *Prunus mume* Sieb. et. Zuce
 467. *Pygeum latifolium* Miq.

Rubiaceae

468. *Anthocephalus chinensis* (Lam.) Rich. ex Walp.
 469. *Canthium dicoccium* (Gaertn.) Teysm. et Binn
 470. *Canthium parvifolium* Roxb.
 471. *Duperrea pavettaefolia* (Kurz) Pitard
 472. *Ixora chinensis* Lam.
 473. *Morinda umbellata* Linn.
 474. *Psychotris pilifera* Hutch.
 475. *Xeromphis spinosa* (Thunb.) Keay

Rutaceae

476. *Acronychia pedunculata* (Linn.) Miq.
 477. *Clausena lansium* (Lour.) Skeels
 478. *Euodia lepta* (Spreng.) Merr.
 479. *Euodia rutaecarpa* (Juss.) Benth.
 480. *Glycosmis ovoidea* Pierre
 481. *Micromelum integerrimum* (Buch. - Ham.) Wight et Arn, ex Roem.
 482. *Micromelum integerrimum* (Buch. - Ham.) Roem. var. *mollissimum* Tanaka

483. *Murraya paniculata* (Linn.) Jack
 484. *Toddalia asiatica* (Linn.) Lam.
 485. *Zanthoxylum dissitoides* Huang
 486. *Zanthoxylum myriacanthum* Wall. ex Hook. f.
 487. *Zanthoxylum nitidum*(Roxb.) DC.

Sabiaceae

488. *Meliosma arnotiana* Walp.
 489. *Meliosma simplicifolia*(Roxb.)Walp.

Samydaceae

490. *Homalium hainanensis* Gagnep.
 491. *Homalium laoticum* Gagnep. var. *glabretum* C. Y. Wu

Santalaceae

492. *Pyrrularia edulis* DC.
 493. *Santalum album* Linn.

Sapindaceae

494. *Arytara litoralis* Bl.
 495. *Cardiospermum halicacabum* Linn.
 496. *Dimorcarpus longan* Lour.
 497. *Harpullia cupanioides* Roxb.
 498. *koelreuteria bipinnata* Fr.
 499. *Litchi chinensis* Sonn.
 500. *Nephelium lappaceum* Linn.
 501. *Pometia tomentosa* (Bl.) Teysm. et Binn.
 502. *Sapindus rarak* DC.
 503. *Schleichera trijuga* willd.

Sapotaceae

504. *Chrysophyllum monophrenum* Sw.
 505. *Lucuma nervosa* A. DC.
 506. *Manilkara zapota* (Linn.) Van Royen
 507. *Mimusops elengi* Linn.
 508. *Pouteria grandiflora* (Wall.) Pierre
 509. *Sarcosperma arboreum* Hook. f.
 510. *Xantolis stenopetala* (Hu) Van Royen
 511. *Sarcosperma kachinensis*(King et Prain)Exell. var. *simondii*
 (Gagnep.)Lam. et var Royen
 512. *Synsepalium dulcificum* . Denill

Saurauiceae

513. *Saurauia napaulensis* DC.

Schizandraceae

514. *Schizandra henryi* C. B. Clarke var. *yunnanensis* A. C. Sm.

Simarubaceae

515. *Ailanthus fordii* Nooteboom
 516. *Brucea javanica* (Linn.) Merr.
 517. *Picrasma javanica* Bl.

Smilacaceae

518. *Smilax cocculoides* Warb.
 519. *Smilax glabra* Roxb.
 520. *Smilax corbularia* Kunth

Solanaceae

521. *Cyphomandra betacea* Sendt.
 522. *Capsicum annuum* Linn. var. *cerasiforme* Irish
 523. *Capsicum frutescens* Linn.
 524. *Solanum ferox* Linn.
 525. *Solanum indicum* Linn.
 526. *Solanum mammosum* Linn.

Sonneratiaceae

527. *Duabanga grandiflora* (Roxb. et DC.) Walp.

Staphyleaceae

528. *Turpinia pomifera* (Roxb.) DC.

Sterculiaceae

529. *Helicteres elongata* Wall. ex Mast.
 530. *Sterculia foetida* Linn.
 531. *Sterculia lanceaefolia* Roxb.
 532. *Sterculia lanceolata* Cav.
 533. *Sterculia nobilis* Smith.

Styracaceae

534. *Alniphyllum fortunei* (Hemsl.) Makino
 535. *Styrax casearifolia* Craib
 536. *Styrax rugosus* Kurz
 537. *Styrax tonkinensis* (Pierre) Craib ex Hartwich.
 538. *Styrax chinensis* Hu et S. Y. Liang
 539. *Styrax suberifolia* Hook. et Arn. var. *caloneura* Pekins

Symphoremataceae

540. *Congea tomentosa* Roxb.

Theaceae

541. *Adinandra megaphylla* Hu
 542. *Camellia confusa* Craib
 543. *Camellia oleifera* Abel.
 544. *Schima wallichii* Choisy
 545. *Ternstroemia gymnanthera* (Wight et Arn.) Sprague
 546. *Tuteheria hexalocularia* Hu et Liang

Thymeleaceae

547. *Aquilaria yunnanensis* C. C. Huang

Tiliaceae

548. *Microcos nervosa* (Lour.) S. Y. Hu
 549. *Microcos paniculata* Linn.

Ulmaceae

550. *Celtis tetrandra* Roxb. subsp. *sinensis* (Pers.) Y. C. Tang

- 551. *Celtis timorensis* Spanoghe
- 552. *Gironniera subaequalis* Planch.
- 553. *Ulmus lanceaefolia* Roxb. ex Wall.

Umbelliferae

- 554. *Eryngium foetidum* Linn.

Urticaeae

- 555. *Boehmeria longispica* Steud.
- 556. *Boehmeria siamensis* Craib

Verbenaceae

- 557. *Duranta repens* Linn.
- 558. *Gmelina arborea* Roxb.
- 559. *Gmelina villosa* Roxb.
- 560. *Lantana camara* Linn.
- 561. *Premna szemaoensis* Pei
- 562. *Tectona grandis* Linn. f.
- 563. *Vitex quinata* (Lour.) Mill.
- 564. *Vitex trifolia* L.

Vitaceae

- 565. *Cayratia trifolia* (Linn.) Domin
- 566. *Cissus javana* DC.
- 567. *Leea guineensis* G. Don
- 568. *Leea indica* (Burm. f.) Merr.
- 569. *Tetrastigma dubinum* (Law.) Planch.
- 570. *Tetrastigma obovatum*(Wall.)Planch.

Zingiberaceae

- 571. *Alpinia galanga* (L.) Swartz
- 572. *Amomum compactum* Soland ex Maton
- 573. *Etlingera elatiora* (Jack.) R. M. Smith

